

INDEX
Vol. 163 JANUARY-JUNE 1966

Annals of Surgery

A Monthly Review of Surgical Science and Practice

Also the official publication of
THE AMERICAN SURGICAL ASSOCIATION
THE SOUTHERN SURGICAL ASSOCIATION
PHILADELPHIA ACADEMY OF SURGERY
NEW YORK SURGICAL SOCIETY



EDITORIAL AND ADVISORY BOARD

JOHN H. MULHOLLAND, M.D., *Chairman*
New York, N. Y.

F. F. ALLBRITTEN, JR., M.D.
Kansas City, Kansas

WM. A. ALTEMEIER, M.D.
Cincinnati, Ohio

HENRY T. BAHNSON, M.D.
Pittsburgh, Pennsylvania

BRIAN BLADES, M.D.
Washington, D. C.

E. D. CHURCHILL, M.D.
Boston, Mass.

WARREN COLE, M.D.
Chicago, Illinois

OSCAR CREECH, JR., M.D.
New Orleans, La.

MICHAEL E. DE BAKEY, M.D.
Houston, Texas

J. ENGLEBERT DUNPHY, M.D.
San Francisco, California

FRANK L. A. GERBODE, M.D.
San Francisco, Calif.

JOHN H. GIBBON, JR., M.D.
Philadelphia, Pa.

FRANK GLENN, M.D.
New York, N. Y.

HENRY N. HARKINS, M.D.
Seattle, Wash.

ROBERT M. JANES, M.D.
Toronto, Canada

WILLIAM P. LONGMIRE, M.D.
Los Angeles, California

FRANCIS D. MOORE, M.D.
Boston, Mass.

CARL A. MOYER, M.D.
Saint Louis, Mo.

WM. H. MULLER, M.D.
Charlottesville, Va.

JONATHAN RHOADS, M.D.
Philadelphia, Pa.

W. F. RIENHOFF, JR., M.D.
Baltimore, Md.

PAUL S. RUSSELL, M.D.
Boston, Massachusetts

DAVID C. SABISTON, M.D.
Durham, North Carolina

JOHN A. SCHILLING, M.D.
Oklahoma City, Oklahoma

HARRIS B. SHUMACKER, JR., M.D.
Indianapolis, Ind.

FRANK C. SPENCER, M.D.
New York City

JOHN D. STEWART, M.D.
Buffalo, N. Y.

NATHAN WOMACK, M.D.
Chapel Hill, N. C.

J. B. LIPPINCOTT COMPANY, *Publishers*
Philadelphia and Montreal

Copyright © 1966
J. B. LIPPINCOTT COMPANY

MADE IN THE UNITED STATES OF AMERICA

CONTRIBUTOR'S INDEX

A
 Abramson, D. J. 478
 Abei, T. 330
 Akutsu, T. 347
 Aikawa, J. K. 523
 Amendola, F. H. 621
 Anderson, M. N. 161, 529
 Aranow, A. 306
 Aranow, S. 306
 Arons, M. S. 445
 Athanassiades, S. 886
 Austin, D. J. 199, 751

B
 Ball, M. R. 505
 Ballantyne, A. J. 665
 Barner, H. B. 74, 205
 Barnes, M. L. 713
 Barnett, W. O. 892
 Bayles, D. 86
 Bazan, A. 461
 Benson, J. R. 121
 Berman, H. M. 537
 Bernhard, C. M. 931
 Besznyak, I. 553
 Björk, O. 179
 Blaisdell, F. W. 103
 Blocker, T. G., Jr. 445
 Bocanegra, M. 461
 Bodvall, B. 382
 Boydon, C. M. 485
 Bradburn, D. 97
 Buckler, K. G. 281
 Burch, J. C. 746
 Burman, S. O. 645
 Butler, J. J. 665
 Butler, T. J. 281
 Buxton, R. W. 778
 Byrd, B. F., Jr. 746

C
 Cameron, J. L. 330
 Camishion, R. C. 818
 Campbell, J. R. 291
 Capper, W. M. 281
 Caracci, V. W. 339
 Carlisle, B. B. 795
 Carter, D. R. 788
 Carter, S. J. 645
 Chaptal, P.-A. 347
 Chavez, C. M. 672
 Chrichlow, R. W. 417
 Cincotti, J. J. 427
 Claggett, O. T. 263
 Clark, K. 414
 Clark, R. L. 665
 Clowes, G. H. A., Jr. 866
 Cohen, A. 121
 Cohn, I., Jr. 829
 Cook, W. A. 811
 Cornell, W. P. 573
 Cottle, H. R. 347
 Cox, E. F. 778
 Crile, G., Jr. 267

D
 Dagher, F. J. 455, 505
 Dailey, T. H. 704
 Dart, C. H., Jr. 692
 Degerli, D. V. 811
 DeMuth, W. E., Jr. 643
 Deterling, R. A., Jr. 553
 Devor, D. 93
 DeWeese, J. A. 205
 Didier, E. P. 263
 Dively, W. 921
 Drapanos, T. 545
 Duke, J. F., III 559
 Dunphy, J. E. 484
 Durham, C. 47

E
 Edwards, W. S. 249
 Elliot, R. L. 86
 Ellison, L. T. 559
 Ellison, R. G. 559
 Elovitz, M. J. 567
 Endo, M. 35
 Emerson, D. M. 169, 537
 Escher, D. J. W. 611
 Evans, G. 603

F
 Fine, J. 29
 Flotte, C. T. 778
 Floyd, C. E. 829
 Fomon, J. J. 131
 Foster, J. H. 764
 Frank, G. R. 788
 Frederick, P. 886
 Furman, S. 611

G
 Gabrielli, E. 529
 Gans, H. 175
 Gensler, H. 954
 George, P. 470
 Gibbon, J. H., Jr. 818
 Glassow, F. 227
 Glenn, F. 838
 Goetz, R. H. 242
 Grädel, F. O. 347
 Graves, H., Jr. 726
 Gray, L. A. 713
 Griffin, J. 86
 Grinnell, R. S. 272
 Gross, R. E. 580

H
 Halbert, D. S. 237
 Hall, A. D. 103
 Haller, J. A. 902
 Hallett, C. P. 281
 Hardy, J. D. 672, 892
 Harjola, P.-T. 21
 Hardaway, R. M. 51, 567
 Heaney, J. P. 237
 Hegedus, S. A. 771
 Hendry, W. F. 553

Herbsman, H. 137
 Hickey, R. C. 665
 Hinostroza, A. 461
 Hinshaw, D. B. 153
 Hofmeyer, J. J. C. 60
 Holdefer, W. F., Jr. 249
 Hood, J. H. 359
 Hoppenstein, R. 242
 Horsley, G. W. 808
 Howard, J. M. 67
 Hultquist, G. 179
 Hurst, V. 597
 Hurwitt, E. S. 221

I
 Ibanez, M. L. 665
 Iber, F. L. 330
 Iida, J. 818

J
 Jacobs, J. K. 260
 Johnson, G., Jr. 692
 Johnson, R. 580
 Jolly, P. C. 764
 Jones, E. L. 902
 Judd, D. R. 149
 Judge, R. D. 306

K
 Kantrowitz, A. 347
 Kantrowitz, A. R. 347
 Karlin, S. 97
 Karlson, K. E. 339
 Karchner, M. M. 751
 Katz, R. 427
 Killen, D. A. 764
 Kirson, S. M. 653
 Kirtley, J. H. 764
 Klopp, C. T. 653
 Knapp, R. W. 291
 Knox, W. G. 639
 Krasnow, N. 339
 Krel, L. 470
 Kune, G. A. 886, 949

L
 Lafer, D. J. 137
 Lagada, L. G. 553
 Lane, R. 573
 Larmi, T. 373, 634
 Lawler, M. R., Jr. 859
 Lechner, G. W. 311
 Lee, C. J. 485
 Lenhardt, H. F. 408
 Letton, A. H. 937
 LeVine, D. S. 523
 Lewis, S. R. 445
 Lilly, G. D. 856
 Lister, J. 611
 Lowicki, E. M. 395
 Lundsgaard-Hansen, P. 10
 Lynch, J. B. 445
 Lyons, C. 249
 Lyons, J. H. 485, 505

M
Mahoney, E. B. 205
Mahoney, W. D. 215
Mansberger, A. R., Jr. 778

Markley, K. 603
McCool, E. 257
McCracken, R. 921
McEnany, T. 573
McLeod, G. 553
McSherry, C. K. 838
McSwain, B. 726, 859
Merritt, C. R., II 260
Mershimer, W. L. 645
Meyer, N. R. 408
Miho, O. 35
Miles, R. M. 192
Miller, E. H. 629
Miller, R. E. 639
Millican, R. C. 603
Milliken, J. 29
Moore, F. D. 485, 505
Moore, T. C. 149
Moseley, T. 943
Mouritzen, C. 161, 529
Mozden, P. J. 589
Myers, M. B. 97

N
Nahor, A. 29
Nasbeth, D. C. 553
Newhauser, G. M. 81
Newcombe, J. F. 319
Norman, J. C. 306

O
Ochsner, J. L. 909
Ochsner, S. F. 909
Ohmura, T. 35
Older, T. M. 367, 621
Oi, M. 35
Övergaard, B. 382

P
Passaro, E., Jr. 93
Patman, R. D. 199, 751
Payzant, A. 97
Peacock, E. E. 1
Pearce, C. W. 257
Perry, M. O. 414
Peters, R. M. 692
Petrou, H. D. 233
Pierucci, L., Jr. 818
Pircher, F. J. 685
Polk, H. C., Jr. 432
Poth, E. J. 957

Poulantzas, J. K. 949
Price, W. E. 788
Priestly, J. T. 736
Pulaski, E. J. 330

R
Ravitch, M. M. 573
Read, R. C. 311
Reese, H. E. 391
ReMine, W. H. 736
Replogle, R. L. 580
Respass, J. C. 112
Rifkin, H. 954
Rivarola, A. 573
Rob, C. G. 205
Roberts, B. 417
Robins, R. E. 315
Rodgers, J. B. 367
Rodin, A. E. 445
Roedling, H. 427
Roos, D. B. 354
Rosenfeld, L. 726
Rosenthal, S. 461
Rubinstein, B. M. 954
Rutherford, R. B. 51

S
Salak, W. W. 67
Salmi, A. 634
Sawyers, J. L. 746, 859
Schmidt, F. E. 257
Scott, H. W., Jr. 144, 795
Schwedel, J. B. 611
Sedgwick, C. E. 949
Seidel, J. 237
Seidenberg, B. 221, 954
Sessions, D. G. 726
Shackelford, R. T. 771
Shaftan, G. W. 137
Shedd, D. P. 47
Shepard, D. 850
Sher, M. H. 408
Shingleton, W. W. 685
Silberman, R. 60
Sivula, A. 21
Smith, D. L. 263
Smith, L. B. 957
Spencer, F. C. 121
Stabler, E. V. 367, 621
Stracener, C. E. 391
Stanton, W. K. 237
Stephenson, S. E. 746
Stephenson, S. E., Jr. 795
Stirling, C. T. 829
Stockton, R. L. 199
Stone, H. N. 297

Strickland, W., Jr. 559
Sturim, H. S. 399
Sullivan, L. D. 315
Sutter, V. L. 597

T
Taylor, L. A. 685
Teague, F. B., Jr. 112
Thomas, A. N. 103
Thompson, J. C. 81
Thompson, James E. 704
Thompson, Jesse E. 751
Thompson, Jesse E. 199
Thompson, R. J., Jr. 153
Tilak, S. P. 67
Tinsley, E. A. 746
Torbey, P. K. 589
Trummer, M. J. 408
Turney, S. W. 795

U
Unal, M. O. 811

V
Vang, J. O. 545
Vasco, J. S. 144
Vela, R. 97
Velarde, N. 461
Vice, T. 237
Virtue, R. W. 523
Vucinic, M. 866

W
Warren, D. 112
Warren, K. W. 886
Warren, W. D. 131
Webb, W. R. 811
Wechsler, B. M. 339
Weidner, M. G. 866
Weissberg, D. 242
West, R. L. 567
Wheeler, C. G. 199, 751
Whelan, T. J. 121, 215
Williams, G. R. 788
Williams, R. D. 86
Wilson, J. P. 937
Womack, N. 233

Y
Yelverton, R. L. 892
Younger, R. 795
Yoza, V. 461

Z
Zeppa, R. 233

INDEX TO VOLUME 163

A

- Abrasion—experimental traumatic carcinogenesis, 445
- Abdominal wall, gas gangrene associated with clostridial infections of: rev. 10 cases, 859
- Sternum, diaphragm and pericardium, congenital defects of: case rep., 391
- Absorption following gastrectomy using reversed jejunal segments: rev. 25 cases, 957
- Absorptive capacity—seromuscular ileal bladder (in dogs) relined by neopithelium, 589
- Adhesions, intestinal, prevention by combined promethazine and dexamethasone therapy in 27 cases (and dogs), 580
- Adrenal cortical cyst with rupture and hemorrhage due to blunt abdominal trauma: case rep., 315
- Acanthosis ← traumatic carcinogenesis, 445
- Achlorhydria associated in the gastric carcinoma: 50-year rev., 736
- Acidosis, respiratory and metabolic → cardiac output and peripheral resistance, 161
- "Washout," following resection of aortic aneurysms in *man*—metabolic study of reactive hyperemia and effect of Dextran on excess lactate and pH, 778
- Aganglionic colon in adult: first rep. case, 97
- Alcohol → myocardial capacity ± digitalis, ± cortisol, 811
- Alkaline area of gastric antrum associated with ulceration and pyloric stenosis—pH monitoring system in *man*, 281
- Amputated hand, replantation of: case rep., 137
- Extremities, replantation: case rep. and exp. studies (in dog), 788
- Anaerobic metabolism and oxygen supply of cardiac blood ← hemorrhagic shock, 10
- Anastomotic ulcers, development of—gastric mucosal boundary between pyloric and fundic gland areas in *man* (and dogs), 35
- Anesthesia, controlled hypotension during radical mastectomy: rev. 182 cases, 263
- Aneurysm, mycotic, of celiac artery: case rep., 233
- Popliteal: associated cardiovascular disease, ischemic symptoms and results of grafting to restore continuity in 48 cases, 417
- Resection of aortic, in *man*—metabolic study of reactive hyperemia and effect of Dextran on excess lactate and pH, 778
- Antiperistaltic jejunal segment for short bowel syndrome: case rep., 850
- Antrum, gastric, variation in size—pH monitoring system in *man*, 281
- Aortic aneurysms—"washout" acidosis following resection in *man*, 778
- Surgery, infrarenal, ischemia of colon secondary to: case rep., 639
- Aortoiliac and aortofemoral arterial reconstruction, LMWD to prevent thrombosis in: rev. 23 cases, 764
- And femoropopliteal occlusive disease: limitations of total aortofemoropopliteal bypass: rev. 12 cases, 121
- Appendicitis, perforated, peritonitis secondary to: clin. anal., 866

- Arterial puncture during retrograde femoral aortography: rev. 23 cases, 221
- Arteriosclerotic occlusive lesions, LMWD to prevent thrombosis in reconstruction: rev. 85 cases, 764
- Arteriovenous fistula involving vertebral artery: rep. 3 cases and *Lit. Rev.*, 408
- Shunts in portal system, operative control in patients with esophageal varices: rev. 54 cases, 692
- Ascites, portal hypertension with, in *man* (and dog) and role of portocaval shunt: rev. 26 cases, 112
- Atherosclerosis, experimentally-induced—prevention by ileal bypass (in dogs), 795
- Atherosclerotic lesions of femoropopliteal arteries, autogenous venous bypass grafts and thromboendarterectomy for: rev. 171 cases, 205
- Atresia, congenital, of dorsal pancreas in adult diabetic with duodenal ileus: first rep. case, 311
- Atrioventricular dissociation, endocardial or implanted pacemakers for: rev. 13 cases, 339
- Automobile accident causing complete transection of pancreas: case rep. and rev. 6 cases, 399
- Mediastinal artery injury causing exsanguination during tracheostomy: case rep., 643

B

- Bacteriology: recurrent cholangitis in 71 cases, 382
- Bile duct ligation and injection of bilirubin- C^{14} into left cephalic vein → distribution, metabolism and excretion of bilirubin, 330
- Strictures, portal hypertension secondary to: rev. 18 cases with splenorenal shunt, 949
- Biliary tract operations, routine cholangiography during: technic and rev. 200 cases, 937
- Bilirubin- C^{14} in serum, feces and urine ← obstructive jaundice induced by bile duct ligation, 330
- Biopsy, breast, as an outpatient procedure: rev. 857 cases, 478
- Left ventricular, before and after perfusion → myocardial histopathology in *man*, 179
- Blood Chemistry**
- Alterations ← right hepatic lobectomy for massive trauma, 149
- ← Peritonitis in *man*, 866
- Arterial pH, specific gravity, protein ← aortic cross-clamping during resection of aneurysms in *man* ± infusion of Dextran, before, during and after occlusion, 778
- Electrolyte balance ← infusion of glucose, lactate and saline during operation in *man*, 523
- Ketoglutarate clearance ← arterial and/or portal perfusion of isolated calf liver ± lactic acid load in perfusate, 545
- Lactate ← aortic cross-clamping during resections of aneurysms in *man* ± infusion of Dextran, before, during and after occlusion, 778
- And pyruvate, arterial and coronary sinus, and oxygen saturation ← hemorrhagic shock, 10

- Plasma glucose \leftarrow arterial and/or portal perfusion of isolated calf liver, 545
- Serum cholesterol \leftarrow ileal bypass \pm 20% cholesterol diet \pm I^{131} induced hypothyroidism, 795
- Protein \leftarrow hemorrhage in normal *man* and saline infusion, 485
- Protein, sodium \leftarrow hemorrhage in normal *man* and mannitol infusion, 505
- Protein \leftarrow ligation of hepatic vein inducing ascites, 112
- Venous pO_2 and O_2 saturation \leftarrow aortic cross-clamping during resection of aneurysms in *man* \pm infusion of Dextran, before, during and after occlusion, 778
- Bone marrow, thoracic, protection by external hypothermia during HN_2 administration \rightarrow response of leucocytes and platelets, 60
- Book reviews, 92, 484
- Bowel, distal large, carcinoma of: 32-year rev. 1,026 cases, 838
- Syndrome, short, antiperistaltic bowel segment for: rep. case, 850
- Brachiocephalic arterial reconstruction, LMWD to prevent thrombosis in: rev. 24 cases, 764
- Breast biopsy as an outpatient procedure in 857 cases: delayed mastectomy in 41 cases, 478
- Carcinoma of, evaluation of simple and radical mastectomy: rev. 80 cases, 267
- Carcinoma of: 5-year rev. 127 cases according to Columbia Clinical Classification; comparison with other large series, 629
- Carcinoma of: rev. 1,765 cases with radical and simple mastectomy, 746
- Paget's disease of: rep. 3 cases, 931
- Bronchial-esophageal cysts, congenital: clin. rev., 909
- Burns, flame and scald—experimental carcinogenesis in rats, 445
- Pseudomonas susceptibility after—protection by vaccination, 603
- Thermal, pseudomonas sepsis in—verdoglobulin determination and gentamicin therapy in *man* (and rats), 297
- Wound and rectal cultures of pseudomonas after—phage typing in 38 cases, 597

C

- Carcinoma, detected by routine breast biopsy as an outpatient procedure in 857 cases: 5-year follow up in 41 cases, 478
- Of breast, evaluation of radical and simple mastectomy: rev. 80 cases, 267
- Of breast, Paget's disease: rep. 3 cases, 931
- Of breast: 5-year rev. 127 cases according to Columbia Clinical Classification; comparison with other large series, 629
- Of breast: rev. 1,765 cases with radical and simple mastectomy, 746
- Of colon and rectum, lymphatic block with atypical retrograde lymphatic metastases and spread: 22-year rev., 272
- Of colon, rectum and anus: 16-year rev. 1,687 cases by computer analysis, 829
- Of distal large bowel: 32-year rev. 1,026 cases, 838
- Of ovary, relation of endometriosis to: rep. 7 cases, 713
- Of salivary glands: 37-year rev. 184 cases according to cell type, 726
- Of stomach, double: case rep., 634
- Of stomach, trends in prognosis and treatment: 50-year rev. from Mayo Clinic, 736
- Scar tissue—traumatic carcinogenesis in rats, 445
- Thyroid, discovered during treatment for unrelated head and neck cancer: rev. 16 cases, 665
- Cardiac assistance—mechanical auxiliary ventricle operated 8 hours daily up to 303 hours, 347
- Intra-, foreign bodies: rep. 3 cases and indications for removal, 249
- Oxygen supply and anaerobic metabolism \leftarrow experimental hemorrhagic shock, 10
- Cardiotomy for mitral valve disease: case rep., 818
- Cardiovascular disease associated with popliteal aneurysms: rev. 42 cases, 417
- Wounds, control of bleeding by balloon catheter tamponade: case rep., 257
- Carotid artery obstruction \rightarrow cerebral blood flow \pm cervical sympathectomy; \pm CO_2 inhalation, 771
- Artery occlusion, chronic: saline endarterectomy in 15 cases, 103
- \rightarrow carotid crossover bypass, rerouting arterial flow to relieve ischemia: case rep., 131
- Endarterectomy for cerebrovascular insufficiency: 8-year rev. 359 cases, 751
- \rightarrow vertebral artery anastomosis: TECHNIC for repair of subclavian steal syndrome: case rep., 414
- Celiac artery, mycotic aneurysm of: case rep., 233
- Blockade \pm blood volume therapy \rightarrow survival following release of occluded superior mesenteric artery, 29
- Cellular swelling \leftarrow hypotonicity, LMWD and pH changes in rat diaphragm *in vitro*, 537
- \leftarrow Hypothermia, graded hypoxia and osmotic effects of LMWD on renal cortex *in vitro*, 169
- Cerebral blood flow \leftarrow effect of sympathectomy, hypothermia, CO_2 inhalation and pavarine, 771
- Cerebrospinal fluid pressure \leftarrow cervical sympathectomy, 771
- Cerebrovascular insufficiency, carotid endarterectomy for: 8-year rev. 359 cases, 751
- Cervical metastases of salivary gland carcinoma: rev. 43 cases according to cell type, 726
- Childhood, effect of splenectomy on resistance to infections in: rev. 51 cases, 902
- Cholangitis, secondary, choledochoduodenostomy with reference to: 15-year rev. 24 cases, 74
- Cholecystectomy, bile duct stricture and bleeding esophageal varices following: rev. 18 cases with splenorenal shunt, 949
- Cystic duct or gallbladder remnant after: reoperation in 103 cases, *Lit. Rev.*, 382
- Routine cholangiography during: rev. 200 cases, 937
- Cholecystitis and postcholecystectomy conditions associated with hemobilia: case rep., 373
- Cholecystoduodenocolic fistula due to gallstones: case rep. and *Lit. Rev.*, 81
- Choledochoduodenostomy with reference to secondary cholangitis: 15-year rev. 24 cases, *Lit. Rev.*, 74
- Cirrhosis, circulatory dynamics in, similarity to peripheral arteriovenous shunts: rev. 35 cases, 692
- Clostridial infections of abdominal wall associated with gas gangrene: rev. 10 cases, 859

- Clot formation and emboli ← nonfunctioning plastic auxiliary ventricle as bypass for aortic arch, 347
- CO₂ inhalation → cerebral blood flow with carotid obstruction in *man* (and dogs), 771
- Inhalation → arterial pH and pressure and myocardial function, 161
- Output and alveolar ventilation, pre- and post-op levels in *man*—thoracic and nonthoracic operations, 559
- Coagulation factor activity ← induced endotoxemia, 567
- Collagen content of healing wounds ← intra-arterial infusion of nitrogen mustard, 319
- Of healing wounds, inter- and intramolecular bonding in, by insertion of methylene and amide cross links into scar tissue → tensile strength and thermal shrinkage, 1
- Colon, aganglionic, in adult: first rep. case, 97
- And rectum, lymphatic block with atypical retrograde metastases and spread in carcinoma of: 22-year rev., 272
- Ischemia following infrarenal aortic surgery: case rep., 639
- Rectum and anus, carcinoma of: 16-year rev. 1,687 cases by computer analysis, 829
- Columbia Clinical Classification, 5-year rev. 127 cases of cancer of the breast, 629
- Commissurotomy for mitral valve disease: case rep., 818
- Congenital cysts of mediastinum: 20-year rev. 42 cases, 909
- Defects of abdominal wall, sternum, diaphragm and pericardium: case rep. and embryologic factors, 391
- Coronary sinus oxygen content and saturation ← experimental hemorrhagic shock, 10
- Cortisol → myocardial capacity after alcohol infusion, 811
- Cross-contamination of pseudomonas in burns: rev. wound and rectal cultures in 12 cases, 597
- Cysts, adrenocortical, with rupture and hemorrhage due to blunt trauma: case rep., 315
- Ciliated lined intramural gastric: case rep. and embryogenesis, 954
- Of mediastinum, congenital: 20-year rev. 42 cases, 909
- Pancreatic: inflammatory, traumatic and neoplastic: rev. 183 cases, 886
- Cystadenoma and cystadenocarcinoma of pancreas: rev. 18 cases, 886
- Cystic duct remnant after cholecystectomy: results of reoperation in 103 cases, 382

D

- Dexamethasone and promethazine therapy—prevention of postop adhesions in 27 cases (and dogs), 580
- Dextran, low mol. wt. → cellular swelling caused by hypotonic medium: oxygen consumption in rat diaphragm *in vitro*, 537
- In arterial reconstruction procedures: rev. 85 cases, 764
- ± Hypothermia on renal cortex *in vitro* → tissue water content, 169
- Dibenzylamine, intra-aortic and intravenous, ± blood volume therapy → survival following release of occluded superior mesenteric artery, 29
- Digestion following gastrectomy using reversed jejunal segments: rev. 20 cases, 957

- Digitalis → myocardial capacity after alcohol infusion, 811
- Duodenal ileus, agenesis of dorsal pancreas in adult diabetic presenting with: first rep. case, 311
- Stumps, closure with wire staples in *man* (and dogs), 573
- Ulcers, gastric hypothermia for hemorrhage from: rev. 10 cases, 367
- Duodenum, lymphangioma of: case report and electron microscopy, 86

E

- Edema, following vena caval ligation or plication: rev. 46 cases, 199
- Postop, distal venous pressure and recurrence ← vena caval clip for pulmonary embolism and thrombophlebitis in *man*, 192
- Editorial, 808
- Breast biopsy as an outpatient procedure, 484
- Electrical stimulation of recurrent laryngeal nerve —TECHNIC for identification, 47
- Electrocardiogram: analysis of pacemaker malfunction, 611
- Embolism, pulmonary, prevention by use of plastic vena caval clip: rev. 18 cases, 192
- Embryogenesis: gastric cyst, 954
- Embryologic defects producing ectopic thyroid masses: rev. 7 cases, 653
- Embryology: congenital anomalies arising from involvement of somatic mesodermal layer: defects of abdominal wall, sternum, diaphragm and pericardium, 391
- Enderectomy, carotid, for cerebrovascular insufficiency: 8-year rev. 359 cases, 751
- Saline, for chronic carotid artery occlusion: TECHNIC and rev. 15 cases, 103
- Endometriosis, relation to carcinoma of ovary: rev. 7 cases, Lit. Rev., 713
- Endotoxemia, induced → blood coagulation factor activity, 567
- Epsilon amino caproic acid and thrombin infusion → plasminogen concentration, 175
- Esophageal pH and intraluminal pressure: TECHNIC of determination and diagnostic applications in *man*, 621
- Varices, gastric hypothermia for hemorrhage from: rev. 9 cases, 367
- Varices, splenectomy with ligation and plication for: rev. 51 cases and analysis of survival, 692
- Varices, splenorenal shunt for hemorrhage from: rev. 17 cases with biliary stricture, 946
- Ethiodol, I¹³¹ tagged—direct irradiation of lymph nodes in dogs, 67
- Exsanguination during tracheostomy, mediastinal artery injury causing: case rep., 643
- Extracorporeal circulation in open-heart surgery in *man*—plasma hemoglobin clearance after acute hemolysis, 529

F

- Femoral hernia: rev. 1,143 cases and repair below inguinal ligament, 227
- (Seldinger) aortography, retrograde: surgical complications in 26 cases, 221
- Femorofemoral crossover bypass, rerouting arterial flow to relieve ischemia: rep. 4 cases, 131

Femoropopliteal and aortoiliac occlusive disease: limitations of total aorto-femoro-popliteal bypass: rev. 12 cases, 121

Arterial reconstruction, LMWD to prevent thrombosis in: rev. 51 cases, 764

Arteries, autogenous venous bypass grafts and thromboendarterectomy for atherosclerotic lesions of: rev. 171 cases, 205

Fibrinolytic activity ← infusion of thrombin and epsilon amino caproic acid, 175

Fingers, tenosynovitis of, treated by irrigation with peroxide and oxytetracycline: rev. 9 cases, 645

Fistula, arteriovenous, involving vertebral artery: case rep., 408

Foreign body accidentally introduced into rectum: case rep. and TECHNIC of removal, 395

Intracardiac: rep. 3 cases and indications for removal, 249

Fundic and pyloric gland areas, relation of gastric mucosal boundary between—development of anastomotic ulcers in *man* (and dogs), 35

G

Gallbladder or cystic duct remnant after cholecystectomy: cholangiography and reoperation in 103 cases, 382

Gallstones associated with cholecystoduodenocolic fistula: case rep. and Lit. Rev., 81

Gangrene of colon associated with peritonitis, 866

Gas gangrene associated with clostridial infections of abdominal wall: rev. 10 cases, 859

Gas, intestinal and gastric: factors affecting, 361

Gastrectomy, recurrent ulceration after: rev. 43 cases, 704

Reversed jejunal segments in: rev. 50 cases, 957

Gastric and intestinal gas: factors affecting, 361

Antrum, alkaline area of—ulceration and pyloric stenosis in *man*, 281

Ca. cinoma, multicentric: case rep., 634

Carcinoma, trends in prognosis and treatment: 50-year rev. from Mayo Clinic, 736

Hypothermia to control massive gastrointestinal hemorrhage: rev. 33 cases, 367

Mucosal boundary between fundic and pyloric gland areas—relation to development of anastomotic ulcers in *man* (and dogs), 35

Stumps, closure with wire staples in *man* (and dogs), 573

Ulceration, pathogenesis ← hypoxia and hemorrhagic shock, 21

Gastrin, distribution in mucosa of gastric antrum—association with resected alkaline zone during antrectomy in *man*, 281

Gastroenterostomy leakage, peritonitis secondary to: clin. anal., 866

Recurrent ulceration after: rev. 19 cases, 704

Centamycin therapy in pseudomonas toxemia in *man* (and rats); *in vitro* sensitivity, 297

Glucose, lactate and saline infusion—comparative fluid volume changes in *man*, 523

Gold¹⁹⁸ used in hepatic scintiscan, 685

Goiter, nontoxic nodular, associated with ectopic follicular thyroid in neck: rep. 2 cases, 653

Graft, aortofemoropopliteal bypass, for occlusive disease: rev. 12 cases, 121

Auto-, kidney—24-hour storage by hypothermia and hyperbaric oxygen, alone or combined, 553

Bypass, autogenous venous, and thromboendarterectomies for atherosclerotic lesions of femoropopliteal arteries: rev. 171 cases, 205

Bypass, iliofemoral artery, using obdurator foramen approach: case rep., 215

Femorofemoral, axillary-femoral and carotid-carotid artery bypass: rep. 6 cases, 131

Procedures for popliteal aneurysms: comparative results of arterial homograft, Teflon prosthesis and venous autograft in 48 cases, 417

Granulation tissue formation in healing wounds ← intra-arterial infusion of nitrogen mustard, 319

H

Hand, replantation of amputated: case rep., 137

Heart block, iatrogenic ventricular fibrillation during proctosigmoidoscopy and cardiac pacing: case rep., 306

Electrical pacing with endocardial and implanted pacemakers: rev. 60 cases, 339

Hematemesis associated with hemobilia after cholecystectomy and gastrectomy: rev. 8 cases, 373

Hematology

Fibrinogen concentration and prothrombin time ← induced endotoxemia, 567

Hemagglutination titers against pseudomonas antigens in normal and convalescent burn plasma, 461

Hematocrit, large vessel and whole body ← hemorrhage in normal *man* and saline infusion, 485

← hemorrhage in normal *man* and mannitol infusion, 505

Leucocytes ← induced mesenteric venous thrombosis treated by saline, Ringer's, Kanamycin, Heparin, Dextran, THAM, 432

Hemoglobin concentration associated with gastric carcinoma: 50-year rev., 736

Free and bound to haptoglobin ← clearance after acute hemolysis during extracorporeal circulation in *man*, 529

Normal values: peritonitis in *man*, 866

Plasminogen concentration ← thrombin and epsilon amino caproic acid infusion, 175

Platelet counts ← induced endotoxemia, 567

Leucocytes ← external hypothermia during HN₂ administration, 60

Prothrombin time, fibrinogen and arterial pressure ← hepatectomy ± heparin, 51

Hemodynamics

Arterial flow and pressure ← mechanical auxiliary ventricle in dogs, 347

Pressure, correspondence with platelets, prothrombin time and fibrinogen ← hepatectomy, 51

pH and pressure ← CO₂ inhalation or lactic acid injection, 161

Blood circulation and cardiac indices ← peritonitis in *man*, 866

Flow and pressure, cerebral ← cervical sympathectomy, hypothermia, CO₂ inhalation and pavarine, 771

pH and flow ← arterial and/or portal perfusion of isolated calf liver ± lactic acid load in perfusate, 545

Volume, cardiac index ← cirrhotic patients, 692

- Volume changes during surgical period \leftarrow RISA and S^{35} determinations following glucose, lactate or saline infusion in *man*, 523
- Volume, plasma and red cell \leftarrow hemorrhage in normal *man* and saline infusion, 485
- \leftarrow hemorrhage in normal *man* and mannitol infusion, 505
- Volume, pressure, pulse, arterial flow \leftarrow induced mesenteric venous thrombosis treated by saline, Ringer's, Kanamycin, Heparin, Dextran, THAM, 432
- Cardiac function \leftarrow alcohol \pm ouabain, \pm hydrocortisone, 811
- Output \leftarrow mechanical auxiliary ventricle in dogs, 347
- Output and left ventricular pressure during perfusion in *man*—correlation with myocardial histopathology in 18 cases, 179
- Output and peripheral resistance \leftarrow acute respiratory and metabolic acidosis, 161
- Circulatory dynamics: similarity in patients with cirrhosis and arteriovenous shunts: rev. 35 cases, 692
- Hepatic blood flow and pressure: ascites and portal hypertension in *man* (and dog): rev. 26 cases with portocaval shunt, 112
- Lactic and pyruvic acid clearance \leftarrow arterial and/or portal perfusion of isolated calf liver \pm lactic acid load in perfusate, 545
- Plasma hemoglobin clearance—extracorporeal circulation during open-heart surgery in *man*, 529
- Serum clearance of bilirubin- C^{14} \leftarrow obstructive jaundice induced by bile duct ligation, 330
- Venous pressure, distal, postop edema and recurrence \leftarrow vena caval clip for pulmonary embolism and thrombophlebitis in *man*, 192
- Hematoma from mediastinal artery injury causing exsanguination during tracheostomy: case rep., 643
- Hemobilia associated with cholecystitis, postcholecystectomy conditions and trauma: rev. 12 cases, 373
- Hemolysis, acute, mechanisms of plasma hemoglobin clearance after: open-heart surgery in *man*, 529
- Hemostatic clip: use in 1,007 cases, 427
- Hemorrhage from cardiovascular wounds, control by balloon catheter tamponade: case rep., 257
- From esophageal varices with biliary stricture: rev. 17 cases with splenorenal shunt, 949
- Gastrointestinal, gastric hypothermia to control: rev. 33 cases, 367
- In normal *man*: I Distribution and dispersal of saline infusions, 485
- II Effects of mannitol on plasma volume and body water, 505
- Hemorrhagic shock \pm hypoxia \rightarrow gastric ulceration and mucosal changes, 21
- Shock \rightarrow oxygen supply and anaerobic metabolism of heart, 10
- Hepatectomy \pm heparin \rightarrow rate of fibrinogen decrease, platelets, onset of shock, 51
- Hepatic artery and/or portal vein perfusion of isolated calf liver \rightarrow metabolism of lactic and keto acids, 545
- Lobectomy for acute renal failure from intrahepatic hepatoma compressing inferior vena cava: case rep., 144
- Lobectomy for massive liver trauma: case rep., 149
- Scintiscan: rev. of 232 cases, 685
- Hernia, femoral: TECHNIC and rev. 1,143 cases, 227
- Hiatal hernia repair, esophageal pH and pressure measurements following: clin. eval., 621
- ### Histopathology
- Absence of ganglion cells in colon; inflammation of serosa and submucosal lipomatosis of cecum, 97
- Acanthosis, basal cell and pseudoepitheliomatous hyperplasia, squamous cell carcinoma and fibrosarcoma following traumatic carcinogenesis in rats, 445
- Adenocanthoma and adenocarcinoma in endometrial cyst in ovary, 713
- Adrenal cortical cyst, with rupture and hemorrhage following trauma, 315
- Arterial changes after application of methyl 2-cyanoacrylate, 242
- Chief cell adenoma of parathyroid in patient with hypermagnesemia, 260
- Gastric cyst lined with ciliated pseudostratified columnar epithelium, 954
- Mucosal changes after hemorrhagic shock, 21
- Hemobilia due to sclerosing cholangitis; erosion of hepatic duct in area of T tube, 373
- Kidney autografts preserved 24-hours by hypothermia and hyperbaric O_2 , alone or combined, 553
- Metastatic papillary and follicular thyroid carcinoma in lymph node, 665
- Multicentric primary carcinoma of the stomach in 2 cases, 634
- Mucosal ulceration of ileum following enteric coated hydrochlorothiazide with potassium, 291
- Reoperation for recurrent cholangitis: liver biopsy showing cholangiohepatitis; biliary cirrhosis; focal necrosis, 382
- Response of popliteal lymph node after I^{131} -tagged and nonradioactive Ethiodol, 67
- Retrograde lymphatic spread in subserosa of bowel wall below rectosigmoid cancer, 272
- Seromuscular ileal bladder compared with conventional ileal bladder with muscularis mucosa, 589
- Stomach and duodenum after closure with wire staples, 573
- Thrombin-induced clot in superior mesenteric vein and hemorrhagic congestion of ileum; normal bowel after thrombectomy, 432
- ### Electron microscopy
- Lymphangioma of duodenum, 86
- Myocardial biopsy before and after coronary perfusion: rev. 18 cases, 179
- Histoplasmosis, cavitary pulmonary, treated by resection: rep. 8 cases, 921
- Hyperbaric O_2 and hypothermia, alone or combined—24-hour storage renal autotransplants, 553
- Hypercholesterolemia, experimentally-induced—prevention by ileal bypass (in dogs), 795
- Hyperemia associated with resection of aortic aneurysms in *man*—metabolic study distal to occlusion, effect of Dextran infusion, 778
- Reactive during experimental hemorrhagic shock \rightarrow changes in gastric mucosa, 21

- Hyperparathyroidism, magnesium deficiency in: rep. toxic psychosis, 260
- Hyperplasia of basal cells ← traumatic carcinogenesis, 445
- Hypertension, portal, secondary to bile duct strictures: rev. 18 cases with splenorenal shunt, 949
- Portal, with ascites, vascular physiology in *man* (and dog) and role of portocaval shunt: rev. 26 cases, 112
- Hypertrophy of residual pyramidal lobe producing thyroid nodules in neck: rep. 3 cases, 653
- Hypotension, controlled, during anesthesia in radical mastectomy: second 5-year rev., 263
- Hemorrhagic → oxygen supply and anaerobic metabolism of heart, 10
- Hypothermia → cerebral blood flow, 771
- And hyperbaric O₂, alone or combined—24-hour storage of renal autotransplants, 553
- External, protection of thoracic bone marrow during HN₂ administration → response of leucocytes and platelets, 60
- Gastric to control massive gastrointestinal hemorrhage: rev. 33 cases, 367
- ± Graded hypoxia or ± LMWD on renal cortex *in vitro* → tissue water content, 169
- Myocardial histopathology and ventricular function in *man*, 179
- Hypothyroidism and hypercholesterolemia, experimentally induced → atherosclerosis (in dogs), 795
- Hypotonicity in rat diaphragm *in vitro* → O₂ consumption, 527
- Hypovolemic shock induced in dog with mechanical auxiliary ventricle → arterial pressure and blood flow, 347
- Hypoxia, graded ± hypothermia on renal cortex *in vitro* → tissue water content, 169
- ± Hemorrhagic shock → gastric ulceration and mucosal changes, 21
- I
- I¹³¹ Ethiodol, direct irradiation of lymph nodes → shrinkage and histologic response, 67
- Ileal bypass—prevention of experimental atherosclerosis and hypercholesterolemia (in dogs), 795
- Ulceration associated with potassium and thiazide therapy: rev. 13 cases, 291
- Iliofemoral artery bypass graft using obdurator foramen approach because of infection in femoral triangle: TECHNIC and case rep., 215
- Ileum, perforated strangulated, peritonitis secondary to: circulatory and metabolic alterations: clin. anal., 866
- Seromuscular segment of—urinary bladder substitution (in dogs), 589
- Immune serum donor for snake bite: case rep., 943
- Immunization against pseudomonas challenge before and after burns—reduced mortality, 603
- Immunologic response ← splenectomy in mice, 902
- Infant, incidence and mortality of postop intestinal adhesions: rev. 22 cases, 580
- Infections in childhood, effect of splenectomy on resistance to: rev. 51 cases, 902
- Inflammatory pancreatic cysts: rev. 140 cases, 886
- Intestinal adhesions, prevention by combined promethazine and dexamethasone therapy: rev. 27 cases (and dogs), 580

- And gastric gas: factors affecting, 361
- Stumps, closure with wire staples in *man* (and dogs), 573
- Intussusception, jejuno gastric: rev. 4 cases, 93
- Irradiation, direct, of lymph nodes in dogs with I¹³¹ tagged Ethiodol—histologic response, 67
- Ischemia of colon secondary to infrarenal aortic surgery: case rep., 639
- Ischemic symptoms associated with popliteal aneurysms: rev. 35 cases, 417
- Isoproterenol therapy, effect on Stokes-Adams seizures as an indication for endocardial pacing: rev. 47 cases, 339

J, K

- Jaundice, obstructive, induced by bile duct ligation → distribution, metabolism and excretion of bilirubin-C¹⁴, 330
- Jejunal and ileal ulceration associated with potassium and thiazide therapy: rev. 13 cases, 291
- Segments, reversed, in gastrectomy, digestion and absorption after: rev. 50 cases, 957
- Jejunogastric intussusception: rev. 4 cases, 93
- Jejunum, antiperistaltic reversal of segment for short bowel syndrome: rep. case, 850
- Kidney autografts—24-hour storage by hypothermia and hyperbaric oxygen, alone or combined, 553

L

- Lactate, glucose and saline infusions—comparative fluid volume changes in *man*, 523
- Lactic acid injection → arterial pH and pressure and myocardial function, 161
- Laryngeal nerve, paralysis of left recurrent, secondary to mitral valve disease: rep. 2 cases, Lit. Rev., 818
- Recurrent—identification by electrical stimulation, endolaryngeal balloon spirometry, 47
- Larynx, carcinoma of, associated with previously undiscovered thyroid carcinoma: rev. 10 cases, 665
- Liver, collateral circulation to: filiform vessels coursing over celiac aneurysm, originating from superior mesenteric: case rep., 233
- Isolated calf, arterial and/or portal perfusion of → metabolism of lactic and keto acids, 545
- Vascular isolation of: improved technic and rep. 3 cases, 237
- Lymph nodes, metastases after radical and simple mastectomy for cancer of the breast: rev. 80 cases, 267
- In neck containing non-cancerous follicular thyroid tissue: rep. 2 cases, 653
- Involvement in carcinoma of breast: 5-year survival according to delay in treatment, age of patient and hospital status: rev. 1,724 cases, 746
- Involvement in gastric carcinoma: 50-year rev., 736
- Volume and histologic response ← I¹³¹ tagged Ethiodol, 67
- Lymphangioma of duodenum: case rep. and Lit. Rev., 86
- Lymphatic block with atypical retrograde lymphatic metastases and spread in carcinoma of colon and rectum: 22-year rev., 272
- Lymphedema, postmastectomy: lymphangiography in 8 cases, 470

M

- Magnesium deficiency in hyperparathyroidism: rep. of toxic psychosis, 260
- Mannitol infusion after hemorrhage in normal *man* → plasma volume and body water dynamics, 505
- Mastectomy, controlled hypotension during anesthesia in radical: second 5-year rev., 263
- Delayed, in 41 cases following routine breast biopsy: rev. 857 cases, 478
- In carcinoma of breast: rev. 1,765 cases, 746
- Post-, lymphangiography: detection of metastases and edema: rev. 8 cases, 470
- Radical and simple, for cancer of breast, metastases from involved lymph nodes after: rev. 80 cases, 267
- With postop x-ray therapy for axillary metastases: 5-year rev. at Univ. of Michigan and other large series, 629
- Mediastinal artery injury causing exsanguination during tracheostomy: case rep., 643
- Melanoma implanted on hind feet (of hamsters) —metastases following simple or radical amputation, 267
- Melena associated with hemobilia after cholecystectomy and gastrectomy: rev. 12 cases, 373
- Mesenteric artery, superior, survival following release of ← celiac blockade: dibenzylamine, 29
- Venous thrombosis, induced—diagnosis and treatment, 432
- Mesothelial cysts, congenital: clin. rev., 909
- Metabolic acidosis induced by lactate injection → cardiac output and peripheral resistance, 161
- Metastases after radical, simple or delayed amputation ← sarcoma implanted on hind foot (in mice) and melanoma (in hamsters), 267
- In cancer of colon and rectum, lymphatic block with atypical and retrograde: 22-year rev., 272
- Metastatic nodes after mastectomy: detection by lymphangiography in 8 cases, 470
- Methyl 2-cyanoacrylate coating on arteries → vascular necrosis (in dogs), 242
- Mitral valve disease, paralysis of left recurrent laryngeal nerve secondary to: rep. 2 cases, 818
- Molecular bonding, inter- and intra-, in collagen of healing wounds—insertion of methylene and amide cross-links into scar tissue, 1
- Müllerian origin of ovarian carcinoma and carcinoma of endometrial cysts: rev. 114 cases, 713
- Mycotic aneurysm of celiac artery: case rep., 233
- Myocardial capacity ← digitalis and cortisol after infusion of alcohol, 811
- Function ← CO₂ inhalation or lactic acid injection, 161
- Histopathology and ventricular function in *man* ← left ventricular biopsy before and after perfusion, 179

N, O, P

- Neck, ectopic non-cancerous follicular thyroid in: rep. 18 cases according to etiologic factors, 653
- Thyroid carcinoma discovered during treatment of unrelated carcinoma of: rev. 16 cases, 665
- Necrosis, vascular ← application of methyl 2-cyanoacrylate (in dogs), 242

- Nitrogen mustard administration accompanied by external hypothermia → condition of thoracic bone marrow; leucocyte and platelet counts, 60
- Intra-arterial infusion → water, collagen and nitrogen content of granulation tissue; changes in wound size; systemic effects, 319
- Obturator foramen as approach to iliofemoral artery grafting: case rep., 215
- Osmotic effect of LMWD ± hypothermia on renal cortex *in vitro* → total tissue water, 169
- Osteoarthritis, chronic, effect of sympathectomy on development of: rep. case, 856
- Ovary, relation of endometriosis to carcinoma of: rep. 7 cases, 713
- Oxygenation of renal cortex *in vitro* ± hypothermia → tissue water content, 169
- Oxygen consumption ← decreased osmolality; pH changes; addition of LMWD in rat diaphragm *in vitro*, 537
- Supply and anaerobic metabolism of heart ← experimental hemorrhagic shock, 10
- Uptake and minute ventilation, pre- and postop levels in *man*—thoracic and nonthoracic operations, 559
- Oxytetracycline and peroxide irrigation of digital tenosynovitis: rev. 9 cases, 645
- Pacemakers, endocardial and implanted: indications, methods of insertion: rev. 60 cases, 339
- For complete heart block, iatrogenic ventricular fibrillation during proctosigmoidoscopy: case rep., 306
- Malfunction: schema for management and case rep., 611
- Paget's disease: rep. 3 cases, 931
- Pancreas, agenesis of dorsal, in adult diabetic presenting with duodenal ileus: first rep. case, 311
- Traumatic transection: rev. 9 cases, 399
- Pancreatic cysts: rep. 183 cases, 886
- Trauma: rev. 87 cases, 153
- Trauma: rev. 23 cases, 892
- Pavarine → cerebral blood flow, 771
- Peptic ulcer recurrence: rev. 64 cases, 704
- Perfusion, left ventricular biopsy before and after → myocardial histopathology and ventricular function in *man*, 179
- Of isolated calf liver by hepatic and/or portal vein → metabolism of lactic and keto acids, 545
- Peritonitis, circulatory and metabolic alterations associated with: anal. 25 cases, 866
- Peroxide and oxytetracycline irrigation of digital tenosynovitis: rev. 9 cases, 645
- pH changes in rat diaphragm *in vitro* → O₂ consumption, 537
- Electrode, polyethylene tube filled with water and connected to transducer: determination of esophageal pH and intraluminal pressure: eval. 110 cases, 621
- Monitoring system during antrectomy—alkaline area associated with ulceration and pyloric stenosis in *man*, 281
- Phage typing of pseudomonas strains in burn wound and rectum: rev. 38 cases, 597
- Plasma, normal and convalescent burn, for severely burned children: rev. comparative mortality in 52 cases, 461

- Plication and ligation of inferior vena cava for thromboembolism: comparison in 46 cases, 199
- Polyps, incidence in carcinoma of distal large bowel: 32-year rev., 838
- Popliteal aneurysms, restoration of continuity by grafts: rev. 48 cases, 417
- Portal hypertension secondary to bile duct strictures: rev. 18 cases with splenorenal shunt, 949
- Hypertension with ascites, vascular physiology in *man* (and dog) and role of portocaval shunt: rev. 26 cases, 112
- Vein perfusion of isolated calf liver, alone or with hepatic artery \rightarrow metabolism of lactic and keto acids, 545
- Potassium and thiazide therapy, jejunoileal ulceration associated with: rev. 13 cases, 291
- Proctosigmoidoscopy and complete heart block, ventricular fibrillation during: case rep., 306
- Promethazine and dexamethasone therapy for prevention of postop intestinal adhesions: rev. 27 cases (and dogs), 580
- Psychosis, toxic: magnesium deficiency in hyperparathyroidism: case rep., 260
- Pseudoepitheliomatous hyperplasia \rightarrow traumatic carcinogenesis, 445
- Pseudomonas* extracts injected in rats \rightarrow incidence of verdoglobulinemia and blood culture at autopsy, 297
- Infection in burns: rev. wound and rectal cultures with phage typing in 38 cases, 597
- Infection in mice—protection by normal and convalescent burn plasma, 461
- Sepsis in thermal burns: toxemia and septicemia treated by gentamicin sulfate: rev. 55 cases, 297
- Septicemia, mortality in burned children receiving normal and convalescent plasma: rev. 152 cases, 461
- Susceptibility post-burn—protection by vaccination, 603
- Pulmonary embolism and thrombophlebitis, comparison of plication and ligation of inferior vena cava for \rightarrow indications, postop edema, plastic support required, 199
- Embolism, prevention by use of plastic vena caval clip: rev. 18 cases, 192
- Histoplasmosis, cavitory, treated by resection: rep. 8 cases, 921
- Hypertension and mitral valve disease, paralysis of left recurrent laryngeal nerve associated with: rep. 2 cases, 818
- Metastases of salivary gland carcinoma: rev. 29 cases according to cell type, 726
- Pyloric and fundic gland areas, relation of gastric mucosal boundary between—development of anastomotic ulcers in *man* (and dogs), 35
- Stenosis and ulceration in *man*—alkaline area of gastric antrum, 281
- R
- Radio-auscultation for testing of implanted pacemakers, 611
- Radiobromide measurement of extracellular fluid volume: hemorrhage in normal *man* and dispersal of saline solution, 485
- Radiography**
- Angiogram: subclavian steal syndrome, 414
- Angiography in tumor diagnosis: rev. 93 cases, 672
- Aortogram: crossover prosthesis, right femoral to left common femoral, in patient with diffuse arteriosclerosis, 131
- Mycotic aneurysm of celiac artery: filiform vessels originating from superior mesenteric postop, 233
- Translumbar, of iliofemoral vein graft, 215
- Aortography, retrograde femoral (Seldinger): surgical complications in 26 cases, 221
- Arteriogram: cervical carotid lesions and degree of stenosis before and after endarterectomy, 751
- Changes after application of methyl 2-cyanoacrylate, 242
- Diffuse change in patient with aortic, bilateral femoral and bilateral popliteal aneurysms; aneurysm confined to popliteal fossa, 417
- Fistula involving vertebral artery, 408
- Internal carotid artery occlusion and at completion of saline endarterectomy, 103
- Obstruction of femoral and popliteal arteries before and after venous autograft and thromboendarterectomy, 205
- Superior mesenteric artery after induced thrombosis and at varied times after infection, 432
- Arteriography: cause of arteriovenous fistula involving vertebral artery, with spontaneous closure, 408
- In tumor diagnosis: rev. 24 cases, 672
- Barium x-ray: duodenomesenteric ileus in patient with atresia of dorsal pancreas, 311
- Fistula between right transverse colon and proximal duodenum, 81
- Jejunogastric intussusception, 93
- Lymphangioma of duodenum, 86
- Short bowel syndrome, before and after antiperistaltic segment, 850
- Cholangiogram: bile flow into duodenum after right hepatic lobectomy for massive trauma, 149
- Hemobilia due to acute cholecystitis; hepatic arm of T-tube, 373
- Cholangiography during biliary tract operations: TECHNIC and rev. 174 cases, 937
- Cholecystography: cystic duct remnant longer than 10 mm. in 500 cases following cholecystectomy, 382
- Lymphangiogram: lymph node responses to irradiation with I^{131} Ethiodol, 67
- Lymphangiography in tumor diagnosis: rev. 67 cases, 672
- Postmastectomy: rev. 8 cases, 470
- Plain x-ray: calcification in wall of popliteal aneurysm, 417
- Carcinomas of salivary gland origin, 726
- Cavitory pulmonary histoplasmosis, 921
- Congenital cysts of mediastinum, 909
- Congenital gastric cyst, 954
- Intracardiac foreign bodies, 249
- Postop commissurotomy; cardiectomy for mitral valve disease, 818
- Widening of mediastinum after aortic perforation from Seldinger aortogram, 221
- Scintiscan of liver using rose bengal I^{131} , colloidal gold¹⁹⁸ and technetium^{99m} labeled sulfur colloid: rev. 232 cases, 685
- Vena cavagram: plication of inferior vena cava for thromboembolism, 199
- Teflon clip in patients with recurrent pulmonary embolism, 192

- Venogram: radial and ulnar venous outflow and sites of anastomosis in replanted hand, 137
Venography in tumor diagnosis: rev. 2 cases, 672
- Rectum and colon, lymphatic block with atypical retrograde metastases and spread in carcinoma of: 22-year rev., 272
Colon and anus, carcinoma of: 16-year rev. 1,687 cases by computer analysis, 829
Cultures—recovery of pseudomonas after burns in *man*, 597
Foreign body accidentally introduced into: case rep., 395
Renal failure from massive intrahepatic hepatoma compressing inferior vena cava: recovery after right hepatic lobectomy: case rep., 144
Function (BUN and serum creatinine) ← reimplantation of kidney after 24-hour storage, 553
Function, effect of acute hemolysis ← extracorporeal circulation during open-heart surgery in *man*, 529
Transport of bilirubin ← experimental obstructive jaundice induced by bile duct ligation, 330
Replantation of amputated extremities: **TECHNIC**, case rep. and exp. studies (in dogs), 788
Of amputated hand: case rep., 137
Respiratory acidosis induced by CO₂ inhalation → cardiac output and peripheral resistance, 161
Exchange in the early postop period (48 hours) in *man*—thoracic and nonthoracic operations, 559
Paralysis associated with coral snake bite: rep. case, 943
Raynaud's phenomenon secondary to outlet compression, transaxillary approach to rib resection for: clin. eval., 354
Rib resection, transaxillary approach to relieve thoracic outlet syndrome: **TECHNIC** and rev. 12 cases, 354
Rose bengal I¹³¹ used in hepatic scintiscan, 685

S

- S³⁵ sulfate and RISA determinations—extracellular fluid volume following glucose, saline and lactate infusion in *man*, 523
Saline endarterectomy for chronic carotid artery occlusions: rev. 15 cases, 103
Infusion, distribution and dispersal—hemorrhage in normal *man*, 485
Lactate and glucose infusions—comparative fluid volume changes in *man*, 523
Salivary gland, malignant tumors arising in: 37-year rev. 184 cases, survival according to cell type, 726
Sarcoma 1 implanted on hind feet (of mice)—metastases following radical or delayed radical amputation, 267
—Traumatic carcinogenesis, 445
Scar tissue, molecular bonding in collagen of healing wounds—insertion of methylene and amide cross links, 1
Schilling test—gastrectomy using reversed jejunal segments in *man*, 957
Septicemia and pseudomonas sepsis in thermal burns and mortality: rev. 134 cases, 297
Pseudomonas, mortality in burned children receiving normal and convalescent plasma: rev. 152 cases, 461

- Seromuscular segment of ileum as urinary bladder substitution—**TECHNIC** of construction (in dogs), 589
Silastic pumping chamber in mechanical auxiliary ventricle—prolonged use, 347
Snake bite, coral: case rep. and mortality statistics, 943
Spirography, endolaryngeal balloon—electrical stimulation of recurrent laryngeal nerve, 47
Splenectomy, effect on resistance to infections in early childhood: rev. 81 cases, **Lit. Rev.**, 902
Neonatal → immunologic response in mice, 902
Splenorenal shunt for portal hypertension secondary to bile duct strictures: rev. 18 cases, 949
Staphylococcus sepsis in thermal burns—pseudomonas sepsis, verdoglobinurea and antibiosis in *man* (and rats), 297
Stokes-Adams seizures, endocardial or implanted pacemakers for: rev. 47 cases, 339
Subclavian steal syndrome: alternate technic for repair by carotid-vertebral anastomosis: case rep., 414
Surgical instruments: anastomosing clamp which places two rows of staples and cuts between the rows: clinical use (and in dogs), 573
Drill for biopsy of left ventricle: analysis 18 cases, 179
Hemostatic clip (tantalum) with forceps jaw surmounting rather than enclosing clip, 427
Staples, wire; closure of duodenal, gastric and intestinal stumps without suture or inversion (in dogs) and clinical experience, 573
Sympathectomy, cervical → cerebral blood flow ± carotid obstruction, cerebrospinal fluid pressure, 771
Effect on development of chronic osteoarthritis: rep. case, 856

T, U, V

- Tamponade, balloon catheter for control of bleeding from cardiovascular wounds: **TECHNIC** and case rep., 257
Technetium^{99m} labeled sulfur colloid in hepatic scintiscan, 685
Teflon prostheses for restoration of continuity in popliteal aneurysms: rev. 14 cases, 417
Vena caval clip for pulmonary embolism and thrombophlebitis in *man* → distal venous pressure, postop edema and recurrence, 192
Tenosynovitis of fingers treated by irrigation with peroxide and oxytetracycline: rev. 9 cases, 645
Tensile strength ← molecular bonding in collagen of healing wounds, 1
Teratomas, congenital mediastinal: clin. rev., 909
Thermal shrinkage ← molecular bonding in collagen of healing wounds, 1
Thiazide and potassium therapy, jejunoileal ulceration associated with: rev. 13 cases, 291
Thoracic bone marrow, protection by external hypothermia during HN₂ administration → response of leucocytes and platelets, 60
Outlet syndrome, transaxillary approach to rib resection to relieve: rev. 12 cases, 354
Thrombin ± epsilon amino caproic acid infusion → plasminogen concentration, 175
Thromboembolism, comparison of plication and ligation of inferior vena caval for: rev. 46 cases, 199

- Thromboenterectomy and autogenous venous bypass grafts for atherosclerotic lesions of femoro-popliteal arteries: rev. 171 cases, 205
- Thrombophlebitis and pulmonary embolism in *man*, vena caval clip for \rightarrow distal venous pressure, postop edema and recurrence, 192
- Thrombosis following total aortofemoropopliteal bypass: rev. 12 cases, 121
- In arterial reconstruction, LMWD for prevention of: rev. 85 cases, 764
- Induced mesenteric venous—diagnosis and treatment, 432
- Thrombus associated with atheroma at origin of occluded internal carotid artery: saline endarterectomy and rev. 15 cases, 103
- Thyroid carcinoma discovered during treatment for unrelated head and neck cancer: rev. 16 cases, 665
- Ectopic non-cancerous follicular, in neck: rep. 18 cases according to etiologic factors, 653
- Tissue water content, granulation, in healing wounds \leftarrow intra-arterial infusion of nitrogen mustard, 319
- Water content \leftarrow hypothermia \pm graded hypoxia or \pm LMWD on renal cortex *in vitro*, 169
- Water content \leftarrow decreased osmolality; pH changes; addition of LMWD in rat diaphragm *in vitro*, 537
- Tracheostomy, mediastinal artery injury causing exsanguination during: case rep., 643
- Trauma as a cause in malignant transformations—experimental carcinogenesis in rats, 445
- Blunt abdominal, adrenal cortical cyst with rupture and hemorrhage due to: case rep., 315
- Causing arteriovenous fistula involving vertebral artery: case rep., 408
- Hepatic lobectomy for massive hepatic: case rep., 149
- Pancreatic: rev. 23 cases, 892
- Pancreatic: rev. 87 cases, 153
- Traumatic hemobilia: rep. 4 cases, rev. of other causes, 373
- Injury to mediastinal artery causing exsanguination during tracheostomy: case rep., 643
- Pancreatic cysts: rev. 15 cases, 886
- Shock and survival following release of occluded superior mesenteric artery \leftarrow celiac blockade \pm blood volume therapy, 29
- Transection of pancreas: rev. 9 cases and Lit. Rev., 399
- Trimethaphan camsylate (Arfonad) for controlled hypotension during radical mastectomy: rev. 182 cases, 263
- Triolein uptake—gastrectomy using reversed jejunal segments in *man*, 957
- Tumor diagnosis by angiography: rev. 93 cases, 672
- Ulcer, perforated, peritonitis secondary to: clin. anal., 866
- Anastomotic, development of—gastric mucosal boundary between pyloric and fundic gland areas in *man* (and dogs), 35
- Ulceration and pyloric stenosis in *man*—alkaline area of gastric antrum, 281
- Gastric or duodenal, gastric hypothermia for hemorrhage from: rev. 20 cases, 367
- Gastric, pathogenesis \leftarrow hypoxia and hemorrhagic shock, 21
- Jejunal and ileal, associated with potassium and thiazide therapy: rev. 13 cases, 291
- Recurrence after operation for peptic ulcer: rev. 64 cases, 704
- Ultraviolet light—experimental traumatic carcinogenesis, 445
- Urine composition \leftarrow hemorrhage in normal *man* and infusion of mannitol, 505
- Hemoglobin concentrating \leftarrow extracorporeal circulation during open-heart surgery in *man*, 529
- Volume and sodium excretion \leftarrow infusion of glucose, lactate and saline during operation in *man*, 523
- Vaccination against pseudomonas challenge before and after burns—reduced mortality, 603
- Vagotomy with gastrectomy or gastroenterostomy for recurrent ulceration: rev. 64 cases, 704
- Vascular necrosis \leftarrow application of methyl 2-cyanoacrylate (in dogs), 242
- Vena cava, inferior, acute renal failure from massive intrahepatic hepatoma compressing: recovery after right hepatic lobectomy: case rep., 144
- Inferior, interruption for thromboembolism: comparison of ligation and plication, rev. 46 cases, 199
- Intrapericardial approach to: improved technique for vascular isolation of liver and rep. 3 cases, 237
- Vena caval clip for prevention of pulmonary embolism \rightarrow distal venous pressure in *man* and postop comparison with ligation, 192
- Ventilation, minute and alveolar, in the early postop period (48 hours) in *man*—thoracic and nonthoracic operations, 559
- Ventricle, mechanical auxiliary, implanted between ascending and descending aorta—prolonged pumping in dogs, 347
- Ventricular biopsy before and after perfusion \rightarrow myocardial histopathology and ventricular function in *man*, 179
- Fibrillation during proctosigmoidoscopy and complete heart block: case rep., 206
- Vertebral artery, arteriovenous fistula involving: case rep., 408
- Insufficiency or subclavian steal syndrome: alternate technique for repair by carotid-vertebral anastomosis: case rep., 414
- Verdoglobinurea associated with pseudomonas sepsis in thermal burns: rev. 301 cases, 297

W, X

- Water volume, extracellular \leftarrow hemorrhage in normal *man* and saline infusion, 485
- Extracellular \leftarrow hemorrhage in normal *man* and mannitol infusion, 505
- Wound contraction, surgical \leftarrow intra-arterial infusion of nitrogen mustard, 319
- Cultures of pseudomonas after burns: rev. 38 cases, 297
- Wounds, cardiovascular, control of bleeding by balloon catheter tamponade: case rep., 257
- Healing, molecular bonding in collagen of—insertion of methylene and amide cross links into scar tissue, 1
- X-ray therapy for axillary metastases post-mastectomy: 5-year rev. at Univ. of Michigan and other large series, 629